

Safe on Schedule



Recommended Immunizations From Birth to Age 18

VACCINE	BIRTH	1 MONTH	2 MONTHS	4 MONTHS	6 MONTHS	9 MONTHS
COVID-19	Number of doses varies. Visit cdc.gov for schedule.					
HepB	1st dose	2nd dose			3rd dose	
RV			1st dose	2nd dose	Final dose at 8 months maximum	
DTaP			1st dose	2nd dose	3rd dose	
Hib			1st dose	2nd dose	No further doses needed if previous dose was at 15 months or older	
PCV13			1st dose	2nd dose	3rd dose	
IPV			1st dose	2nd dose	3rd dose	
IIV					Annual vaccination, 1 or 2 doses	
—OR— (IIV and LAIV vaccines are interchangeable)						
LAIV						
MMR						
VAR						
HepA						
MenACWY-D MenACWY-CRM						
Tdap						
HPV						
Meningococcal B						
PPSV23						

VACCINE	12 MONTHS	15 MONTHS	18 MONTHS	19 - 23 MONTHS	2 - 3 YEARS	4 - 6 YEARS
COVID-19	12 Months - 4/6 years: Please visit the CDC COVID-19 Vaccine Schedule .					
HepB	3rd dose					
RV						
DTaP		4th dose				5th dose
Hib	Dose for children age 12 through 59 months who received 3 doses before 12 months					
PCV13	4th dose					
IPV	3rd dose					4th dose
IIV or LAIV (interchangeable)	Annual vaccination, 1 or 2 doses					
MMR	1st dose					2nd dose
VAR	1st dose					2nd dose
HepA	2-dose series					
MenACWY-D MenACWY-CRM						
Tdap						
HPV						
Meningococcal B						
PPSV23						

VACCINE	7 - 10 YEARS	11 - 12 YEARS	13 - 15 YEARS	16 YEARS	17 - 18 YEARS
COVID-19	7/10 years - 17/18 years: Please visit the CDC COVID-19 Vaccine Schedule .				
HepB					
RV					
DTaP					
Hib					
PCV13					
IPV					
IIV	Annual vaccination, 1 dose				
—OR— (IIV and LAIV vaccines are interchangeable)					
LAIV	Annual vaccination, 1 or 2 doses	Annual vaccination, 1 dose			
MMR					
VAR					
HepA					
MenACWY-D MenACWY-CRM		1st dose		2nd dose	
Tdap		Only 1 dose			
HPV		Talk to your physician about your child's approach to this vaccine			
Meningococcal B					
PPSV23					

Key

- Recommended ages for all children
- Recommended ages for catch-up immunization
- Recommended for high-risk groups
- Recommendation for non-high-risk groups, subject to individual clinical decision-making

COVID-19: SARS-CoV-2 (coronavirus disease 2019)

HepB: Hepatitis B

RV, RV1 (2-dose series), or RV5 (3-dose series): Rotavirus

DTaP (7 years and younger): Diphtheria, tetanus and acellular pertussis

Hib: Haemophilus influenzae type b

PCV13: Pneumococcal conjugate

IPV (18 years and younger): Inactivated poliovirus

IIV or LAIV: Influenza

MMR: Measles, mumps, rubella

VAR: Varicella (chickenpox)

HepA: Hepatitis A

MenACWY-D (9 months and older) or MenACWY-CRM (2 months and older): Meningococcal virus

Tdap: Tetanus, diphtheria and acellular pertussis

HPV: Human papillomavirus

PPSV23: Pneumococcal polysaccharide