Please print your name _

INITIAL FUNCTIONAL NUTRITION CONSULTATION

| Thank you for making your appointment with the NMPG's Center for Integrative Medicine. |
|---|
| Functional Nutrition appointments are very in-depth and personalized. For this reason we have |

prepared an extensive questionnaire for you to fill out. Please read the following prior to filling out the questionnaire and send it in as soon as possible.

We recommend that you take your time in filling out this questionnaire. For the food frequency part of the questionnaire, please pay close attention to the serving sizes listed. For instance, if the serving size for pasta is 1/2 cup and you eat 2 cups three times per week, you will need to enter 12 in the weekly column (only choose one column, the one that most closely matches your intake of the food). You don't need to be exact, but try to be as accurate as possible, so that the questionnaire will reflect an average of your daily intake. The more information you provide, the more assistance we will have to base your initial recommendations. If you consume any foods on a regular basis that you do not see listed, please add those at the end, i.e., pretzels, protein drinks, french fries, etc. Also note when a food is different from it's listing, i.e. fat free, low fat, etc.

Please bring to your visit:

- · A list of any medications and/or vitamin or herbal supplements that you currently take, even better-bring the actual bottles.
- A written sample of your "typical day" of eating/drinking-noting times of the day you eat
- If you are not seeing a doctor/practitioner at the Center for Integrative Medicine, please obtain a copy of any recent blood work, labs, etc. and bring them with you to the visit (or have them sent with your initial paperwork).

Since this appointment is very in-depth and personalized, we reserve the right to cancel or reschedule your appointment if we have not received this questionnaire either by mail or fax within 48 hours prior to your scheduled appointment.

Fax to:

(312) 926-6285

Or send to:

Northwestern Memorial Physicians Group Center for Integrative Medicine and Wellness

Avenue Hotel Office Tower 150 East Huron Street, Suite 1100

Chicago, IL 60611

***Please allow enough mail time (1 week) for delivery.

You will also be assessed a fee for failing to keep this appointment without proper notification of cancellation within 24 hours. If you are having difficulty with the questionnaire, please do not hesitate to call (312) 926-DOCS (3627).

Please note: Insurance plans do not cover this service. You will be expected to pay at the time of your visit.

We look forward to working with you and helping you to reach optimal health.



| HEALTH HISTORY | | | | |
|--|-------------------------|-----------------------------------|-----------------------|---------------------------------------|
| N. | | ant d | | |
| Name | | | _ | Date |
| Occupation | = | | | Number of Children |
| Marital Status: Single Partner | | - | | |
| Are you recovering from a cold or flu? Reason for office visit | _ Are you pregnant? _ | How did you | hear about us? | |
| Reason for office visit | | | | Date began |
| | • | | | |
| Date of last physical exam | Practitioner name | and phone number | | |
| Laboratory procedures performed (e.g., stoo | | = | | |
| | | | | |
| Outcome | | | | |
| What types of therapy have you tried for this | s problem(s): | | | |
| ☐ diet modification ☐ fasting ☐ vitamin/s | mineral 🗆 kerbs 🗅 h | omeopathy 🗆 chir | opractic 🛭 acupun | cture 🖸 conventional drugs |
| O other | | ····· | | |
| List current health problems for which you a | are being treated: | | | |
| | | | | |
| Current medications (prescription or over-the | e-counter): | | | · · · · · · · · · · · · · · · · · · · |
| | | | | |
| Major Hospitalizations, Surgeries, Injuries: 1 | • | s, complications (if | • • | |
| Year Operation, lilness, Injury | <i>'</i> | | Outcome | |
| | <u> </u> | | | |
| Circle the level of strong years are available. | | (1 haine 1 | | 7 9 0 10 |
| Circle the level of stress you are experiencing Identify the major causes of stress (e.g., characteristics). | | | | |
| Do you consider yourself: U underweight | | ence or anances, rep instright | | |
| Unintentional weight loss or gain | _ | | - | / |
| Is your job related to potentially harmful che | | | | r life threatening estivities |
| (e.g., fireman, farmer, miner) | | _ | | i itte inteatening activities |
| □ Glasses □ Contacts □ Dentures □ | | | | 9. |
| | | | ow implants, deterior | |
| Recent changes in your ability to: | e 🗆 hear 🔘 : | taste 🖸 smell | C) feel hot/cold | sensations |
| ☐ move around (sit upright, stand, | walk, run, pick up thin | gs, swing your arm: | s freely, turn your h | ead, wiggle fingers) |
| Strong like for any of the following flavors: | 🗅 sour | 🗆 bitter 🗆 sweet | ☐ rich/fatty ☐ | spicy/pungent asalty |
| Strong dislike for any one of the following fl | avors: 🗆 sour | 🗆 bitter 🛮 sweet | 🗆 rich/fatty 🗈 | spicy/pungent □ salty |
| Do you: D Prefer warmth (i.e., food, drinks | , weather etc.) 🛘 🗘 Pro | efer cold (i.e., food, | drinks, weather etc. |) 🗆 No preference |
| Is your sleep disturbed at the same time each | night? | If yes, what time? | | ••••• |
| Time of day you feel the most energy or the | least symptoms: | Time of day you i | feel the worst or you | r symptoms are aggravated; |
| □ 7 a.m 9 a.m. □ 9 a.m 11 a.m. □ 11 | a.m 1 p.m. | □ 7 a.m 9 a.m. | 🗆 9 a.m 11 a.m | . □ 11 a.m 1 p.m. |
| \Box 1 p.m 3 p.m. \Box 3 p.m 5 p.m. \Box 5 p | | □ 1 p.m 3 p.m. | 🗆 3 p.m 5 p.m. | □ 5 p,m 7 p.m. |
| □ 7 p.m 9 p.m. □ 9 p.m 11 p.m. □ 11 | | □ 7 p.m 9 p.m. | □ 9 p.m 11 p.m | . 🗆 11 p.m 1 a.m. |
| □ 1 a.m 3 a.m. □ 3 a.m 5 a.m. □ 5 a | a.m 7 a.m. | □ 1 a.m 3 a.m. | □ 3 a.m 5 a.m. | □ 5 a.m 7 a.m. |
| | | | | <u> </u> |
| Do you experience any of these general symp | | | | |
| ☐ Debilitating fatigue ☐ Shortness of | | | - | hronic pain/inflammation |
| © Depression © Panic attacks | | | incontinence | ☐ Bleeding |
| ☐ Disinterest in sex ☐ Headaches | U Vomi | • | ry incontinence | ☐ Discharge |
| ☐ Disinterest in cating ☐ Dizziness | □ Dîarri | nea U Low j | grade fever | ☐ Itching/rash |

| Medical History | ☐ Decreased sex drive | Health Habits | Generally eat on the run |
|--|--|---|---|
| ☐ Arthritis | ☐ Infertility | ☐ Tobacco: | ☐ Add salt to food |
| ☐ Allergies/hayfever | □STD | Cigarettes: #/day Cigars: #/day | |
| ☐ Asthma | Other | Cigars: #/day | Current Supplements |
| ☐ Alcoholism | | □ Alcohol | ☐ Multivitamin/mineral |
| ☐ Alzheimer's disease | | Wine: #plasses/d or wk | C Vitamin C |
| ☐ Autoimmune disease | Medical (Women) | Liquor: #ounces/d or wk | □ Vitamin E |
| ☐ Blood pressure problems | ☐ Menstrual irregularities | Beer: #glasses/d or wk | □ EPA/DHA |
| ☐ Bronchitis | ☐ Endometriosis | ☐ Caffeine: | Evening Primrose/GLA |
| ☐ Cancer | ☐ Infertility | Coffee: #6 oz cups/d | ☐ Calcium, source: |
| ☐ Chronic fatigue syndrome | ☐ Fibrocystic breasts | Tea: #6 oz cups/d | ☐ Magnesium |
| ☐ Carpal tunnel syndrome | ☐ Fibroids/ovarian cysts | Tea: #6 oz cups/d Soda w/caffeine: #cans/d | □ Zinc |
| □ Cholesterol, elevated | □ PMS | Other sources | ☐ Minerals, describe |
| ☐ Circulatory problems | ☐ Breast cancer | Other sources Water: #glasses/d | ☐ Friendly flora (acidophilus) |
| □ Colitis | ☐ Pelvic inflammatory disease | a mator, irginasosia | Digestive enzymes |
| ☐ Dental problems | □ Vaginal infections | Exercise | |
| Depression | Decreased sex drive | 5-7 days per week | □ Amino acidà |
| ☐ Diabetes | ☐ STD | D 2 4 days per week | CoQ10 |
| | Other | ☐ 3-4 days per week☐ 1-2 days per week | □ Antioxidants (e.g., Intein, |
| Diverticular disease | Other Age of first period Date of last gynecological exam | | resveritrol, etc.) |
| Drug addiction | Age of first period | ☐ 45 minutes or more duration | |
| ☐ Eating disorder | Date of last gynecological | per workout | ☐ Herbs - extracts |
| ☐ Epilepsy | exam | □ 30-45 minutes duration per | ☐ Chinese herbs |
| ☐ Emphysema | Mammogram U+ U- | workout | ☐ Ayurvedie herbs |
| ☐ Eyes, ears, nose, throat | PAP | ☐ Less than 30 minutes | ☐ Homeopathy |
| problems | Form of birth control | □ Walk | ☐ Bach flowers |
| ☐ Environmental sensitivities | # of children | 🗆 Run, jog, jump rope | ☐ Protein shakes |
| □ Fibromyalgia | # of pregnancies | ☐ Weight lift | ☐ Superfoods (e.g., bee pollen, |
| ☐ Food intolerance | C-Section | □ Swim | phytonutrient blends) |
| ☐ Gastroesophageal reflux | ☐ C-Section ☐ Surgical menopause | C) Box | ☐ Liquid meals (e.g., Ensure) |
| disease | ☐ Menopause | □ Yoga | Other |
| ☐ Genetic disorder | Date of last menstrual cycle | | |
| □ Glaucoma | • | Nutrition & Diet | Would you like to: |
| □ Gout | Length of cycle days | ☐ Mixed food diet (animal | ☐ Have more energy |
| ☐ Heart disease | Interval of time between cycles | and vegetable sources) | ☐ Be stronger |
| 🗅 Infection, chronic | days | ☐ Vegetarian | ☐ Have more endurance |
| ☐ Inflammatory bowel disease | Any recent changes in normal | □ Vegan | ☐ Increase your sex drive |
| ☐ Irritable bowel syndrome | menstrual flow (e.g., heavier, | ☐ Salt restriction | ☐ Be thinner |
| ☐ Kidney or bladder disease | large clots, scanty) | ☐ Fat restriction | ☐ Be more muscular |
| ☐ Learning disabilities | | ☐ Starch/carbohydrate | ☐ Improve your complexion |
| ☐ Liver or gallbladder disease | Family Health History | restriction | Have stronger nails |
| (stones) | (parents and siblings) | ☐ The Zone Diet | ☐ Have healthier hair |
| ☐ Mental iliness | Arthritis, rheumatoid | ☐ Total caloric restriction | ☐ Be less moody |
| ☐ Mental retardation | □ Asthma | Specific food restrictions: | ☐ Be less depressed |
| ☐ Migraine headaches | ☐ Alcoholism | ☐ dairy ☐ wheat ☐ eggs | ☐ Be less indecisive |
| ☐ Neurological problems | ☐ Alzheimer's disease | ☐ soy ☐ corn ☐ all gluten | ☐ Feel more motivated |
| (Parkinson's, paralysis) | ☐ Cancer | Other | |
| ☐ Sinus problems | ☐ Depression | Other | Be more organized Think many clouds and be |
| ☐ Stroke | ☐ Diabetes | Food Frequency | ☐ Think more clearly and be |
| ☐ Thyroid trouble | D D 11, 1; | | more focused |
| □ Obesity | | | □ T |
| | ☐ Drug addiction | Servings per day: | ☐ Improve memory |
| I I I Intochoronia | ☐ Eating disorder | Fruits (citrus, melons, etc.) | ☐ Do better on tests in school |
| Osteoporosis | ☐ Eating disorder ☐ Genetic disorder | Fruits (citrus, melons, etc.) Dark green or deep yellow/ | ☐ Do better on tests in school☐ Not be dependent on over- |
| ☐ Pneumonia | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma | Fruits (citrus, melons, etc.) Dark green or deep yellow/ | ☐ Do better on tests in school ☐ Not be dependent on over- the-counter medications like |
| ☐ Pneumonia ☐ Sexually transmitted disease | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) | □ Do better on tests in school □ Not be dependent on over- the-counter medications like aspirin, Tylenol, Benadryl, |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes | □ Do better on tests in school □ Not be dependent on over- the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs | □ Do better on tests in school □ Not be dependent on over- the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) | □ Do better on tests in school □ Not be dependent on over-the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish | □ Do better on tests in school □ Not be dependent on over-the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits | □ Do better on tests in school □ Not be dependent on over-the-counter medications like aspirin, Tylerol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection ☐ Varicose veins | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits Ci Skip breakfast | □ Do better on tests in school □ Not be dependent on over- the-counter medications like aspirin, Tyleriol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better □ Have agreeable breath |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection ☐ Varicose veins | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders (Parkinson's, paralysis) | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits Characteristics Extra Habits Characteristics Characteristics Two meals/day | □ Do better on tests in school □ Not be dependent on over-the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders (Parkinson's, paralysis) ☐ Obesity | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits O Skip breakfast O Two meals/day One meal/day | □ Do better on tests in school □ Not be dependent on over- the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better □ Have agreeable breath □ Have agreeable body odor □ Have stronger teeth |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection ☐ Varicose veins ☐ Other | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders (Parkinson's, paralysis) ☐ Obesity ☐ Osteoporosis | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits Characteristics Extra Habits Characteristics Characteristics Two meals/day | □ Do better on tests in school □ Not be dependent on over- the-counter medications like aspirin, Tyleriol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better □ Have agreeable breath □ Have agreeable body odor |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection ☐ Varicose veins Other Medical (Men) | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders ☐ (Parkinson's, paralysis) ☐ Obesity ☐ Osteoporosis ☐ Stroke | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits D Skip breakfast D Two meals/day One meals/day Graze (small frequent meals) Food rotation | □ Do better on tests in school □ Not be dependent on over-the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better □ Have agreeable breath □ Have agreeable body odor □ Have stronger teeth □ Get less colds and flus □ Get rid of your allergies |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection ☐ Varicose veins Other ☐ Medical (Men) ☐ BPH | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders ☐ (Parkinson's, paralysis) ☐ Obesity ☐ Osteoporosis ☐ Stroke ☐ Suicide | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits □ Skip breakfast □ Two meals/day □ One meal/day □ Graze (small frequent meals) | □ Do better on tests in school □ Not be dependent on over-the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better □ Have agreeable breath □ Have stronger teeth □ Get less colds and flus |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection ☐ Varicose veins Other Medical (Men) | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders ☐ (Parkinson's, paralysis) ☐ Obesity ☐ Osteoporosis ☐ Stroke | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits D Skip breakfast D Two meals/day One meals/day Graze (small frequent meals) Food rotation | □ Do better on tests in school □ Not be dependent on over-the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better □ Have agreeable breath □ Have agreeable body odor □ Have stronger teeth □ Get less colds and flus □ Get rid of your allergies |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection ☐ Varicose veins Other ☐ Medical (Men) ☐ BPH | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders ☐ (Parkinson's, paralysis) ☐ Obesity ☐ Osteoporosis ☐ Stroke ☐ Suicide | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits Skip breakfast Two meals/day One meals/day Graze (small frequent meals) Food rotation Eat constantly whether | □ Do better on tests in school □ Not be dependent on over-the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better □ Have agreeable breath □ Have agreeable body odor □ Have stronger teeth □ Get less colds and flus □ Get rid of your allergies □ Reduce your risk of inherited |
| ☐ Pneumonia ☐ Sexually transmitted disease ☐ Seasonal affective disorder ☐ Skin problems ☐ Tuberculosis ☐ Ulcer ☐ Urinary tract infection ☐ Varicose veins Other ☐ Medical (Men) ☐ BPH | ☐ Eating disorder ☐ Genetic disorder ☐ Glaucoma ☐ Heart disease ☐ Infertility ☐ Learning disabilities ☐ Mental illness ☐ Mental retardation ☐ Migraine headaches ☐ Neurological disorders ☐ (Parkinson's, paralysis) ☐ Obesity ☐ Osteoporosis ☐ Stroke ☐ Suicide | Fruits (citrus, melons, etc.) Dark green or deep yellow/ orange vegetables Grains (unprocessed) Beans, peas, legumes Dairy, eggs Meat, poultry, fish Eating Habits Skip breakfast Two meals/day One meals/day Graze (small frequent meals) Food rotation Eat constantly whether | □ Do better on tests in school □ Not be dependent on over- the-counter medications like aspirin, Tylenol, Benadryl, sleeping aids, etc. □ Stop using laxatives or stool softeners □ Be free of pain □ Sleep better □ Have agreeable breath □ Have agreeable body odor □ Have stronger teeth □ Get less colds and flus □ Get rid of your allergies □ Reduce your risk of inherited disease tendencies (e.g., |







For each question, circle the response which best currently describes your usual behavior.

| 1. | How many days each week do you eat breakfast? | None | 1-2 days | 3-5 days | 6-7 days |
|-----|---|--|-------------------------------------|---|---|
| 2. | How often do you eat between meals or after the evening meal? | Daily | Several times a week | Once a week or less | Seldom |
| 3. | What is your usual pattern for the evening meal? | This is my biggest meal | Medium size meal | Light meal | Seldom eat in the evening |
| 4. | Do the types of meals you usually eat include the following? | Red meats | Fish or chicken but no red meats | Vegetarian meals with dairy or eggs | Vegen-no animal foods |
| 5. | How much water do you drink each day? | Rarely | 1-2 cups | 3-5 cups | ≥ 6 сирѕ |
| 6. | When salting your food, do you usually salt it: | Freely | Moderately | Sparingly | Never |
| 7. | Do you use non fat or low fat products? | Never | Rarely | Sometimes | Regularly |
| 8. | What kind of spread do you use most often? | Butter | Stick margarine | Soft tub margarine | None of these |
| 9. | What other kinds of fat do you use most often? | Shortenings, lard and/or animal fat | Vegetable oils | Use all the above about the same | None of these |
| 10. | Does your work or daily activity primarily involve the following? | Sitting | Standing | Walking or other active exercise | Heavy labor (eg. heavy lifting, etc.) |
| 11. | Outside your normal work or daily activities, how often do you engage in exercise of 20 minutes or more which markedly increases your breathing (such as vigorous walking, cycling, running, swimming)? | "Scidom or never" "Less than once a week" | 1-2 times per week | 3-5 times per week | 6 or more times per week |
| 12. | Do you currently take a multi- vitamin? | Never | Rarely | Sometimes | Regularly |
| 13. | Do you take any other vitamin or mineral supplement? | Antioxidant | Calcium | Iron | Other: (please specify) |
| 14. | Do you take any nutritional supplements? | Never | Rarely | Sometimes | Regularly |



PART II - FOOD QUESTIONNAIRE:

This questionnaire asks about your eating patterns during the past year. For each food item listed, respond by indicating your usual food intake of that food per day, week, or month. For example: Eggs. If you eat 2 eggs every day, respond 2 daily. If you think you average 2 eggs per week over the year, respond 2 weekly. Check the never column if you don't eat the food or if you have it once or twice a year. This questionnaire will take about 20 minutes to complete. The accuracy of your nutrition report depends on the accuracy of your answers.

For example, if you eat 2 eggs per week, you would write 2 under the week column.

Indicate Servings Per:


| Serving Size | Food Name / Description | Day | Week | Month | Never |
|--------------|-------------------------|-----|------|-------|-------|
| 1 item | Whole egg | | 2 | | |

Breads, Cereals, Grain Products Indicate Servings Per:

| | Dicado, Corcais, Otana i founcia | | | | |
|--------------|--|--|--------------|--------------|-------|
| Serving Size | Food Name / Description | Day | Week | Month | Never |
| 1 slice | Whole grain breads (whole wheat, rye, pumpernickel) | | | | |
| I serving | White breads (hamburger or hot dog bun- 1/2 item, french | | | | |
| | bread- 1 slice) | | | | |
| 1/2 item | English muffin, bagel, pita bread | | | | |
| 1 serving | Whole grain crackers: Triscuits, Wheat Thins (4-6 each) | | | | |
| 1 serving | Other Crackers: Saltines, Ritz (4-6 each) | | | | |
| 1 item | Tortilla, com, 6" diameter (medium) | | | | |
| 1 item | Muffins | | | | |
| 1 serving | Pancakes (2); waffles (1- 7" diameter) | | | | |
| 1/2 cup | Whole grain hot cereal: rolled oats, rolled wheat, Roman | | | | |
| , | Meal | | • | } | |
| 1/2 cup | Instant quick hot cereal: cream of wheat, cream of rice | | | | |
| 3/4 cup | Cold cereals: shredded wheat, raisin bran, bran flakes | | | | |
| 3/4 cup | Cold cereals: Frosted Flakes, Sugar Smacks, etc. | | | | |
| 1/2 cup | Rice, cooked | | | | |
| 1/2 cup | Pasta, cooked | | | | |

Fruits and Juices Servings Per:

| | | | _ | | |
|--------------|---|-----|--------------|-------|-------|
| Serving Size | Food Name / Description | Day | Week | Month | Never |
| l item | Apple or pear, fresh, medium | | | | |
| 1 item | Banana medium | | | | |
| 1 serving | Orange (1 item) or grapefruit (1/2 item) | | | | |
| 1 serving | Peaches (1 item), nectarines (1/2 item), apricots (2 items) | | | | |
| 3/4 cup | Berries (in season) | | | | |
| 1/4 item | Cantaloupe, medium (in season) | | | | |
| 1 cup | Other melon (watermelon, honeydew, casaba) | | | | |
| 1/2 cup | Pincapple, fresh | | | | |
| 1/4 cup | Dried Fruits: raisins (2 Tbsp), dates (2), prunes (2), | | | | |
| | dried apricots (4) | | | | |
| 1/2 cup | Canned or frozen fruit | 1 | | | |
| 1/2 cup | Orange juice or grapefruit juice | | | | |
| 1/2 спр | Tomato juice or vegetable juice | | | | |
| 1/2 cup | Other juices: apple, grape, pineapple or cranberry | | | | |
| 1/2 cup | Fruit Drinks: Lemonade, punch, Koolaid | | | | |
| | | | | | |



| | xttutento Sot i Mgo 2 or i | | | | | | | |
|--------------|--|-----|------|-------|-------|--|--|--|
| Serving Size | e Food Name / Description | Day | Week | Month | Never | | | |
| 1 Tbsp | Vegetable oils; corn, safflower, soy, etc. | | | | | | | |
| 1 Tbsp | Olive oil | | | | | | | |
| 1 Tbsp | Shortenings, vegetable | | | | | | | |
| I Tbsp | Lard | | | | | | | |
| 1 tsp | Margarine | | | | | | | |
| 1 tsp | Butter | | | | | | | |
| 1 Tbsp | Mayonnaise | | | | | | | |
| 1 Tbsp | Regular salad dressing | | | | | | | |
| I Tbsp | Low calorie dressing | | | | | | | |
| 1 Tbsp | Sour cream | | | | | | | |
| 1 Tbsp | Cream cheese | | | | | | | |
| 1 Tbsp | Half & Half, table cream | | | | | | | |
| | | | | | | | | |

| | Milk, Yogurt and Cheeses | Servings Per: | | | | |
|--------------|---|---------------|------|-------|-------|--|
| Serving Size | Food Name / Description | Day | Week | Month | Never | |
| l cup | Skim milk, low fat milk | | | | | |
| l cup | Whole milk | Ì | | | | |
| 1 cup | Chocolate milk | | | | | |
| 1 cup | Yogurt | | | | | |
| I ounce | Cheese: cheddar, colby, american, montercy jack, etc. | | | | | |
| 1 ounce | Other cheeses: swiss, mozzarella, ricotta, string, etc. | | 1 | | | |
| 1/2 cup | Cottage cheese | | | | | |

Vegetables Servings Per: Serving Size Food Name / Description Week Day Month Never 1 cup Salads: lettuce, celery, green peppers, onions Dark green leafy vegetables, raw or cooked 1/2 cup 1/2 cup Carrots, raw or cooked 1 item Tomatoes, fresh medium 1/2 cup Starchy vegetables, cooked: corn, peas, mixed vegetables Other vegetables, cooked: green beans, beets, zucchini 1/2 cup 1/2 cup Cauliflower, broccoli, brussel sprouts, cabbage 1/2 cup Winter squash, cooked: acorn, butternut, hubbard 1 item White potato, baked, boiled, or mashed Sweet potatoes or yams, cooked 1/2 cup

| | Beverages | | Servings Per: | | | | |
|--------------|---|-----|---------------|-------|-------|--|--|
| Serving Size | Food Name / Description | Day | Week | Month | Never | | |
| 12 fl. oz. | Cola drinks (1 can = 12 fl. oz.) | | | | | | |
| 12 fl. oz. | Diet cola drinks (1 can = 12 fl. oz.) | | | | | | |
| 12 fl. oz. | Non-cola drinks: 7-up, Sprite, Slice, etc. (1 can = 12 fl. oz.) | | | | | | |
| 12 fl. oz. | Diet non-cola drinks (1 can = 12 fl. oz.) | | | | | | |
| 8 fl. oz. | Coffee or tea (1 cup = 8 fl. oz.) | | | | | | |
| 8 fl. oz. | Decaffeinated coffee or teas: Sanka, herbal tea, etc. | | | | - | | |
| 1 cup | Hot chocolate or cocoa | | | | | | |
| 12 fl. oz. | Beer (1 can = 12 fl. oz.) | | | | | | |
| 4 fl. oz. | Wine, dry or table (red, white or blush) | | | | | | |
| 1.5 fl. oz. | Liquor: vodka, whiskey, gin, rum, etc. | | | | | | |

Indicate Servings Per:


| | Indicate del fings 1 cr. | | | | | |
|--------------|--|-----|------|---------------------------------------|-------|--|
| Serving Size | Food Name / Description | Day | Week | Month | Never | |
| 1 cup | Legumes: lentils, pinto beans, navy beans, cooked | | | | | |
| 1/4 cup | Nuts and seeds: peanuts, almonds, sunflower seeds, etc. | | | | | |
| 1 Tbsp | Peanut butter, nut butters | | | | · | |
| 3 ounces | Tofu or other meat substitutes | | | | | |
| 3 ounces | Beef: rib roast, steak, pot roast, veal, etc. | | | | | |
| 3 ounces | Beef, ground, cooked | | | | | |
| 3 ounces | Pork: chops, roast, ham | | | | | |
| 3 ounces | Lamb: chops, roast | | | | | |
| 3 ounces | Poultry: chicken, turkey, duck | | | | | |
| 3 ounces | Fish, canned with oil: tuna, sardines | | | · · · · · · · · · · · · · · · · · · · | | |
| 3 ounces | Tuna, water pack | | | | | |
| 3 ounces | Fish, fresh or frozen, no breading: trout, halibut, sole, etc. | | | <u> </u> | | |
| 3 ounces | Shellfish: shrimp, scallops, lobster, clams | | | i | | |
| 1 item | Eggs, whole, large | | | | | |
| 1/4 cup | Egg substitutes or egg whites | | | | | |
| 1 ounce | Lunch meats: bologna, salami, etc. | | | | | |
| 1 item | Frankfurters or sausage links (4" x 1 1/8") | | | | | |

Desserts and Sweets Servings Per:

| | Desserts and Sweets | | | oerymgs rer: | | |
|--------------|---|-----|------|--------------|---|--|
| Serving Size | Food Name / Description | Day | Week | Month | Never | |
| 2 items | Cookies: chocolate chip, oatmeal, peanut butter, etc. | | | | | |
| 1. item | Brownies, 2" x 2" inch | | | | | |
| 1 item | Doughnut or sweet roll | | | | | |
| 1 slice | Cake, 1/12 of 9 inch | | | | | |
| 1 item | Granola bars (1 item) or granola (1/2 cup) | | | | | |
| 1 slice | Pie, 1/8 of whole pie | | | | | |
| 1/2 cup | Gelatin, flavored | | | | | |
| 1/2 cup | Pudding or custard | | | · · · · | | |
| 1/2 cup | Ice cream | | | | • | |
| 1/2 cup | Ice milk | | | | -, | |
| 1/2 cup | Sherbet | | | | | |
| 1 item | Candy bar, chocolate bar (1 bar), M&M's (1 pkg) | | | | | |
| 1 item | Hard candy, gum drops, Lifesavers | | · | | | |

Miscellaneous Servings Per:

| | 14DSCETIALCOUS | | DCI VIII | garu. | |
|--------------|--|-----|----------|---------------------------------------|-------|
| Serving Size | Food Name / Description | Day | Week | Month | Never |
| 1 slice | Fast food - pizza | | | | |
| 1 item | Fast food - hamburger or cheeseburger | | | | |
| 1 item | Fast food - burrito or taco | | | | |
| 2 slices | Bacon | | | | |
| 2 cups | Popcom, popped | | | | |
| 1 ounce | Potato chips, corn chips, tortilla chips (10 to 15 each) | | | | |
| 1 Tbsp | Catsup or chili sauce | | | | |
| 1/2 cup | Tomato based sauce (spaghetti sauce) | | | · · · · · · · · | |
| 1 slice/Tbsp | Pickles, or pickle relish (1 Tbsp) | | | | |
| 5 items | Olive | | | | |
| 1/8 item | Avocado (1/8 item) | | | | |
| 1 Tbsp | Sauces: soy sauce, steak sauce, barbecue sauce | | | · · · · · · · · · · · · · · · · · · · | |
| 1/4 cup | Brown gravy, giblet gravy, white sauce | | | | |
| 1 cup | Soups, vegetable or noodle type | | | | |
| 1 cup | Soups, cream | | | | |
| 1 piece | Chewing gum | | | <u> </u> | |
| 1 Tbsp | Sugar, honey, jam, jelly, syrups | | <u> </u> | | |
| | l | | l | .i_ | |





HEALTH APPRAISAL QUESTIONNAIRE

| N | es i | n | ۵. |
|---|------|---|----|

Date

DIRECTIONS

This questionnaire asks you to assess how you have been feeling during the last four months. This information will help to keep track of how your physical, mental and emotional states respond to changes you make in your eating habits, priorities, supplement program, social and family life, level of physical activity and time spent on personal growth. All information is held in strict confidence. Take all the time you need to complete this questionnaire.

Please circle the number that best describes your symptoms. PLEASE LEAVE THE QUESTION BLANK if you never experience the symptom.

- 1 = Rarely symptom is familiar to you but you but you perceive it as insignificant (monthly or less)
- 2 Occasionally symptom comes and goes and is linked in your mind to stress, diet, fatigue or some identifiable trigger
- 4 = Often symptom occurs 2-3 times per week and/or with a frequency that bothers you enough that you would like to do something about it
- 8 = Frequently symptom occurs 4 or more times per week and/or you are aware of the symptom every day, or it occurs with regularity on a monthly or cyclical basis


Some symptoms require a YES or a NO response, 1 = NO 8 = YES

| | | | _ | | | | | | |
|---|--------|--------------|-------|------------|---|--------|--------------|-------|------------|
| PART I | Rarely | Occasionally | Often | Frequently | | Rarely | Occasionally | Often | Frequently |
| SECTION A | | | | | SECTION C (cont) | | | | |
| 1. Food repeats on you after you eat | 1 | 2 | 4 | R | 6. Stool odor is embarrassing | 1 | 2 | 4 | 8 |
| 2. Excessive burping and belching following meals | | 2 | | 8 | 7. Undigested food in your stool | 1 | 2 | 4 | B |
| 3. Stomach spasms and cramping during or after eating | _ | 2 | - | _ | 8. Three or more large bowel movements daily | 1 | 2 | 4 | _ |
| 4. A sensation that food just sits in your stomach creating | • | _ | 7 | v | 9. Diarrhea (frequent loose, watery stool) | 1 | 2 | 4 | |
| uncomfortable fullness, pressure and bloating during | | | | | 10. Bowel movement shortly after eating (within 1 hour) | 1 | 2 | - | _ |
| or after a meal | 1 | 2 | 4 | R | 10. Dower morement shortly after eating (within 1 hour) | • | - | ~7 | 10 |
| 5. Bad taste in your mouth | | 2 | | | Total points | | | | |
| 6. Small amounts of food fill you up immediately | | 2 | | | SECTION D | | | | ! |
| 7. Skip meals or eat erratically because you have | • | _ | 7 | U | 1. Discomfort, pain or cramps in your colon | | | | |
| no appetite | 1 | 2 | 4 | Q | (lower abdominal area) | 1 | 2 | A | 0 |
| по прото | | | | | 2. Emotional stress and/or eating raw fruits and | 1 | Z | 4 | 0 |
| Total points | | | | | vegetables causes abdominal blooting, pain, | | | | |
| SECTION B | | | | | cramps or gas | | 2 | A | o |
| 1. Strong emotions, or the thought or smell of food | | | | | 3. Generally constipated (or straining during | 1 | 2 | 4 | ß |
| aggrayates your stomach or makes it hurt | 1 | 2 | A | Q | bowel movements) | 1 | 2 | 4 | 0 |
| 2. Feel hungry on hour or two ofter cating a | 1 | - | • | u | 4. Stool is small, hard and dry | 1 | 2 | 4 | 8 |
| good-sized meal | 1 | 2 | A | ь | S. Pass rancons in your stool | 1 | 2 | 4 | 8 |
| 3. Stomach pain, burning and/or aching over a period | • | 4 | 4 | Ð | 6. Alternate between constination and diarrhea | 1 | 2 | 4 | 8 |
| of 1-4 hours after eating | 1 | 2 | 4 | ь | 7. Rectal pain, itching or cramping | 1 | _ | 4 | _ |
| 4. Stomach pain, burning and/or aching relieved by | 1 | 4 | 4 | 6 | 8. No urgo to have a bowel movement | 1 | Z | 4 | 8 |
| cating food, drinking carbonated heverage, cream or | | | | | 9. An almost continual need to have a bowel movement | 1 | | | 8 |
| milk, or taking antacids | 1 | 2 | a | 0 | 9. An almost continual need to have a bowel movement | , | | | ۵ |
| 5. Burning sensation in the lower part of your chest, | 1 | _ | ** | 0 | Total points | | | | |
| especially when lying down or bending forward | 1 | 2 | 4 | 8 | | | | | _ |
| 6. Painful indigestion even when relexed or on vacation | 1 | | 4 | | PART II | | | | |
| 7. Eating spicy and fatty (fried) foods, chocolate, | | _ | ~ | 0 | | | | | |
| coffee, alcohol, citrus or hot peppers causes your | | | | | | | | | |
| stomach to burn or ache | 1 | 2 | ā | Q | | | | | |
| 8, Feel a sense of nausea when you cat | | 2 | | | 1. When massaging under your rib cage on your | | | | |
| Difficulty or pain when swallowing food or beverage | | 2 | | | right side, there is pain, tenderness or soreness | 1 | 2 | , | |
| 5, Directly of pair when swanowing food of icverage | _, | | -7 | | 2. Abdominal pain worsens with deep breathing | 1 | | 4 | |
| Total points | | | | \neg | 3. Pain at night that may move to your back or | 1 | Z | 4 | Ď |
| SECTION C | _ | | | | right shoulder | , | • | , | В |
| When massaging under your rib cage on your left | | | | | 4. Bitter fluid repeats after eating |] 1 | | 4 | - |
| side, there is pain, tenderness or sorchess | 1 | 2 | 1 | Q | S. Feel abdominal discomfort or nausca when cating | 1 | 4 | 4 | ō |
| 2. Indigestion, fullness or tension in your abdomen is | 1 | ž | 7 | O | rich, fatty or fried foods | 1 | 2 | ı | D |
| delayed, occurring 2-4 hours after eating a meal | | 2 | 1 | Q | 6. Throbbing temples and/or dull pain in forchead | 1 | L | 4 | D |
| 3. Lower abdominal discomfort is relieved with the | • | 4 | 4 | o | associated with overcating | | 2 | 4 | ٥ |
| passage of gas or with a bowel movement | | 2 | 4 | 8 | 7. Unexplained itchy skin worse at night | ı 1 | 2 | 4 | 8 |
| 4. Specific foods/beverages aggravate indigestion | | 2 | | - | Stool color alternates from clay colored to | ı | 4 | 4 | • |
| 5. The consistency or form of your stool changes | 1 | L | 4 | a | 8. Stool color alternates from diay colored to | • | _ | , | |
| (e.g., from narrow to loose) within the course of a day | 1 | 2 | 1 | G | 1 | | _ | 4 | |
| (o-B) most nation to toose) within the compe of a day | ' | 4 | 4 | 0 | 9. General feeling of poor health | ı | 2 | 4 | ð |






| PART II | 4 | acionally | Often | Frequently | - American | PART IV | ely | Occasionally | , | Frequently |
|--|--------|-----------|-------|------------|------------|---|--------|--------------|-------|------------|
| | Roralv | č | Ě | £ | 3 | | Rarely | ő | Often | Ę |
| 10. Aching muscles not due to exercise | I | | | | B | SECTION A | | _ | | |
| 11. Retain fluid and feel swollen around the | | | | | | When you miss meals or go without food for extended | | | | |
| abdominal area | 1 | | | 8 | | periods of time do you experience any of the following | | | | |
| 12. Reddened skin, especially palms | 1 | | | 8 | | symptoms? | | | | |
| 13. Very strong body odor | 1 | | 4 | | | 1. A sense of weakness | 1 | 2 | - | 8 |
| 14. Are you embarrassed by your breath? | 1 | 2 | 4 | - | | 2. A sudden sense of anxiety when you get hungry | 1 | 2 | | 8 |
| 15. Bruise easily | 1 | | | 8 | | 3. Tingling sensation in your hands | 1 | 2 | 4 | 8 |
| 16. Yellowish cast to eyes | I | | | 8 | , | 4. A sensation of your heart beating too quickly or forcefully | , | 2 | , | 8 |
| Total points | | | | | ٦ | 5. Shaky, jittery, hands trembling | 1 | | | _ |
| | _ | | | | _ | 6. Sudden profuse sweating and/or your skin | • | 4 | 4 | 0 |
| PART III | | | | | | feels clammy | ı | 2 | 4 | 8 |
| | | | | | | 7. Nightmares possibly associated with going to bed | • | ~ | • | ŭ |
| | | | | | | on an empty stomach | 1 | 2 | 4 | 8 |
| SECTION A | | | | | | 8. Wake up at night feeling restless | Ţ | 2 | 4 | |
| 1. Feel cold or chilled - hands, feet, all over - for no | | | | | | 9. Agitation, easily upset, nervous | 1 | 2 | 4 | 8 |
| apparent reason | 1 | 2 | 4 | 8 | } | 10. Poor memory, forgetful | 1 | 2 | 4 | 8 |
| 2. Your upper cyclids look swollen | 1 | _ | _ | 8 | | 11. Confused or disoriented | 1 | 2 | 4 | - 8 |
| 3. Muscles are weak, cramp and/or tremble | 1 | _ | | 8 | - | 12. Dizzy, faint | 1 | 2 | 4 | - |
| 4. Are you forgetful? | 1 | _ | | 8 | | 13. Cold or numb | 1 | 2 | 4 | - |
| 5. Do you feel like your heart beats slowly? | 1 | | | 8 | | 14. Mild headaches or head pounding | 1 | 2 | | _ |
| Reaction time seems slowed down In general, are you disinterested in sex because | 1 | 2 | 4 | ă | i | 15. Blurred vision or double vision | 1 | 2 | | |
| your desire is low? | 1 | 2 | 4 | 8 | , | 16. Feel clumsy and uncoordinated | 1 | | 4 | 8 |
| 8. Feel slow-moving, sluggish | 1 | | | 8 | | Total points | | | | \Box |
| 9. Constipation | 1 | | | В | | SECTION B | | | | |
| 10. Dryness, discoloration of skin and/or hair | 1 | | | 8 | | 1. Frequent urination day and night | 1 | 2 | 4 | 8 |
| 11. Have you noticed recently that your voice | | | | | | 2. Unusual thirst - feeling like you can't drink | - | _ | - | _ |
| is deepening? | 1 | | | .8 | | enough water | 1 | 2 | 4 | 8 |
| 12. Thick, brittle nails | 1 | | | 8 | | 3. Unusual hunger - cating all the time | 1 | 2 | 4 | 8 |
| 13. Weight gain for no apparent reason | 1 | | | 8 | | 4. Vision blurs | 1 | 2 | 4 | 8 |
| 14. Outer third of your cycbrow is thirming | | | | | | 5. Feel itchy all over | 1 | | | 8 |
| or disappearing | 1 | | | 8 | | 6. Tingling or numbness in your feet | 1 | 2 | | |
| 15. Swelling of the neck | 1 | | | 8 | | 7. Sores heal slowly | 1 | 2 | 4 | 8 |
| Total points | | | | | 7 | 8. Sense of drowsiness, lettergy during the day | | _ | , | |
| SECTION B | - | | - | | ا ا | not associated with missing meals or not sleeping 9. Eating starchy foods, even if they are healthy and | 1 | 2 | 4 | 8 |
| 1. Lingering mild fatigue after exertion or stress | ı | , | d | 8 | | unprocessed (like rice, corn, beans, whole wheat | | | | |
| 2. Do you feel that you get tired and exhaust very easily? | _ | 2 | - | 8 | | or oats) causes you to gain weight or prevents you | | | | |
| 3. Craving for salty foods | | 2 | | 8 | | from losing weight | 1 | | | 8 |
| 4. Sensitive to minor changes in weather and | | | | | | 10. Loss of hair on your legs | 1 | | | 8 |
| surroundings | 1 | 2 | 4 | 8 | 1 | | | | | |
| 5. Dizzy when rising or standing up from a | | | | | 1 | Total points | | | | |
| kneeling position | 1 | | | 8 | | PART V | | | | |
| 6. Dark bluish or black circles under your eyes | 1 | 2 | | 8 | | | | | | |
| 7. Have bouts of nausca with or without vomiting | 1 | 2 | | 8 | - 1 | | | | | |
| 8. Catch colds or infections easily | 1 | | | 8 | | PROTION | | | | |
| Wounds heal slowly Your body or parts of your body feel tender, sore, | 1 | 2 | 4 | 8 | Ì | SECTION A 1. Feel jittery | 1 | 2 | | ь |
| sensitive to the touch, hot and/or painful | 1 | 2 | 4 | 8 | | 2. First effort of the day causes pain, pressure, | ' | 2 | * | 8 |
| 11. Feel puffy and swollen all over your body | | | | 8 | | tightness or heaviness around the chest | j | 2 | 4 | 8 |
| 12. Skin is gradually tanning without exposure to sun | - | - | • | - | | 3. Exhaustion with minor exertion | ĵ | 2 | | |
| or the ingestion of high levels of carotene-rich | | | | | | 4. Heavy sweating (no exertion, no hot flashes) | 1 | 2 | | 8 |
| foods (e.g., daily carrot juice intake) or supplements | 1 | | | 8 | | 5. Difficulty catching breath, especially during exercise | | 2 | | 8 |
| | | | | | | 6. Heart pounding, sensation of heart heating too | | | | |
| | | | | | | quickly, too slowly or irregularly | 1 | 2 | 4 | 8 |
| | | | | | | 7. Swelling in feet, ankles and/or legs comes and | | | | |
| | | | | | _ | goes for no apparent reason | _1 | 2 | 4 | 8 |
| Total points | | - | _ | _ | П | Total points | | | | |








| | | _ | | | | | _ | |
|---|---|--------------|-------|------------|---|--------|--------------|---------------------|
| PART V | | Occasionally | • | ÷ | | | Occasionally | 4 |
| | | ion | _ | Frequently | | - | 롲 | Oiten Frequently |
| | 7 | CCA | Often | ş | | Rarely | 8 | Citen Freque |
| | Ě | Ç | Õ | £ | | 걸 | Ŏ (|) <u>=</u> |
| SECTION B | | | | | SECTION B (cont) | | | |
| 1. Muscle pain at rest | 1 | | | 8 | 14. "Butterflies in your stomach", nausea and/or diarrhea | 1 | 2 | 4 8 |
| Cramp-like pains in your ankles, calves or legs | 1 | _ | | 8 | Total points | | | |
| 3. Cold feet and/or toes appear blue | 1 | | 4 | | | ٠ | | |
| 4. Brief moments of hearing loss | 1 | _ | | 8 | SECTION C | | | |
| 5. Nausea comes and goes quickly unrelated to eating | 1 | _ | | | 1. Do you feel pent up and ready to explude? | 1 | _ | 4 8 |
| 6. Feel worse standing: legs get heavy and fatigued | 1 | | 4 | | 2. Are you prone to noisy and emotional outbursts? | 1 | _ | 4 8 |
| 7. Leg discomfort or fatigue relieved by elevating legs | 1 | 2 | 4 | 8 | 3. Do you do things on impulse? | 1 | | 4 8 |
| 8. Fingers and toes numb in cold weather even | | ^ | | | 4. Are you easily upset or irritated? | 1 | _ | 4 8 |
| when protected | 1 | 2 | 4 | 8 | 5. Do you go to pieces if you don't control yourself? | 1 | 2 | 4 8 |
| Notice changes in your ability to feel pain or discriminate sensations of hot or cold | 1 | | | 8 | 6. Do little annoyances get on your nerves and make | , | _ | |
| 10. Body hair (on arms, hands, fingers, legs and toes) | 1 | | | ŏ | you engry? | i | 2 | 4 8 |
| is thinning or has disappeared | 1 | | | 8 | 7. Does it make you angry to have anyone tell you what to do? | | _ | . a |
| 11. Not as coordinated as you used to be | 1 | | | 8 | 8. Do you flare up in anger if you can't have what | 1 | 4 | 4 8 |
| 12. Do you notice a decline in your ability to make | • | | | • | s. Do you make up in anger it you can't have what you want right away? | • | - | 4 8 |
| decisions, concentrate, focus attention or | | | | | · | 1 | | 4 a |
| follow directions? | , | | | 8 | Total points | | | |
| | | | | _ | | | | |
| Total points | | | | | PART VII | | | |
| PART VI | | | | | | | | |
| PART VI | | | | | 1. Eyes water or tear | 1 | 2 | 4 8 |
| | | | | | 2. Mucous discharge from the eyes | 1 | | 4 8 |
| SECTION A | | | | | 3. Ears ache, itch, feel congested or sore | 1 | | 4 8 |
| 1. Family, friends, work, hobbics or activities you hold | | | | | 4. Discharge from ears | 1 | 2 | 4 8 |
| dear are no longer of interest | 1 | 2 | 4 | 8 | 5. Hoarse voice | 1 | 2 | 4 8 |
| 2. Do you cry? | 1 | 2 | 4 | 8 | 6. Do you have to clear your throat frequently? | 1 | 2 | 4 8 |
| 3. Does life look entirely hopeless? | 1 | 2 | 4 | 8 | 7. Do you often feel a choking lump in your throat? | 1 | 2 | 4 8 |
| 4. Would you describe yourself as feeling miserable | | | | | 8. Is your nose continually congested? | 1 | 2 | 48 |
| and sad, unhappy or bluc? | 1 | 2 | 4 | 8 | 9. Are you prone to loud snoring? | 1 | | 8 |
| 5. Do you find it hard to make the best of | | | | | 10. Does your nose run constantly? | ì | | 8 |
| difficult situations | 1 | 2 | | 8 | 11. Nosebleeds | 1 | | 8 |
| 6. Sleep problems - too much or too little | ı | 2 | 4 | 8 | 12. Do you suffer from severe colds? | 1 | | 8 |
| Changes in your appetite and weight | 1 | | | 8 | 13. Do frequent colds keep you miserable all winter? | 1 | | 8 |
| 8. Lately you've noticed an inability to think clearly | | | | | 14. Flu symptoms last longer than 5 days | 1 | | 8 |
| or concentrate | 1 | | | 8 | 15. Do infections settle in your lungs? | 1 | | 8 |
| Difficulty making decisions and/or clarifying and | | | | | 16. Chest discomfort or pain | 1 | 2 | 48 |
| achieving your goals | 1 | | | 8 | 17. Do you experience sudden breathing difficulties? | | _ | 48 |
| Total points | | | | 7 | 18. Do you struggle with shortness of breath? | | | 48 |
| • | | | | | 19. Difficulty exhaling (breathing out) | 1 | 2 | 4 8 |
| SECTION B | _ | _ | , | | 20. Breathlessness followed by coughing during | | _ | |
| 1. Does worrying get you down? | I | 2 | 4 | ď | exertion, no matter how slight | | _ | 48 |
| 2. Does every little thing get on your nerves and | | _ | | e | 21. Instility to breathe comfortably while lying down | 1 | | 4 8 |
| wear you out? | 1 | 2 | 4 | 8 | 22. Do you cough up lots of phiegm? |] | 2 | 4 8 |
| 3. Would you consider yourself a nervous person? | I | 2 | 4 | 8 | 23. Can you hear noisy rattling sounds when breathing | _ | | |
| 4. Do you feel easily agitated? 5. Do you shake and tremble? | 1 | 2 | 4 | 8 | in and out? | I. | | 48 |
| • | 1 | 2 | 4 | 8 | 24. Are you troubled with coughing? | I | | 48 |
| Are you keyed up and jittery? Do you tremble or feel weak when someone | 1 | 4 | 4 | ٥ | 25. Do you wheeze? | | | 48 |
| shouts at you? | 1 | , | 4 | Q | 26. Do you have severe soaking sweats at night? | | | 48 |
| 8. Do you become scared at sudden movements or | 1 | 4 | 4 | 0 | 27. Do your lips and/or nails have a bluish hue? 28. Are you sleepy during the day? | | | 48 40 |
| noises at night? | | 2 | 4 | 8 | 29. Do you have difficulty concentrating? | 1 | | 48 48 |
| 9. Do you find yourself sighing alot? | 1 | 2 | 4 | 8 | 30. Eyes, ears, nose, throat and lung symptoms seem | 1 | 4 | * B |
| 10. Are you awakened out of your sleep by | | _ | 7 | ٥ | associated with specific foods like dairy or | | | |
| frightening dreams? | ı | 2 | 4 | R | wheat products? | 1 | | 8 |
| 11. Do frightening thoughts keep coming back in | • | _ | - | U | 31. Eyes, ears, nose, throat and lung symptoms are | 1 | | 6 |
| your mind? | r | 2 | 4 | 8 | associated with seasonal change | 1 | | 8 |
| 12. Do you become suddenly scared for no good reason? | Ī | 2 | 4 | 8 | hereaute atta seasona engage | 1 | | ø |
| 13. Do you break out in a cold sweat? | | | 4 | - 1 | | | | |
| Jon praint one may admit allow: | ٠ | 4 | т. | ٠ | Total points | | | |








| PART VIII | Rarely | Occasionally | Often | Frequently | | Rarely | Occasionally | Often | Frequently |
|---|--------|--------------|-------|------------|---|--------|--------------|-------|------------|
| 1. Involuntary loss of urine when you cough, lift | | | | | SECTION C | | • | | |
| something or strain during an activity | 1 | 2 | | 8 | 1. Muscles stiff, sore, tense and/or ache | l | - | | 8 |
| 2. Mild lower back ache or pain | 1 | 2 | 4 | 8 | 2. Burning, throbbing, shooting or stabbing muscle pain | I | 2 | 4 | 8 |
| 3. Abdominal achiness or pain | 1 | | 4 | | 3. Muscle cramps or spasms (involuntary, after | | | | |
| 4. Pain or burning when urinating | 1 | 2 | | 8 | exertion/exercise) | 1 | 2 | 4 | 8 |
| 5. Rarely feel the urge to urinate | 1 | 2 | 4 | 8 | 4. Is muscle pain or stiffness greater in the morning | | | | |
| Feel the need to urinate less than every two | | | | | than other times of the day? | 1 | | | 8 |
| hours day or night | | 2 | | 8 | 5. Specific points on body feel sore when pressed | 1 | 2 | | 8 |
| 7. Strong smelling urine | 1 | 2 | 4 | 8 | 6. Feel unrefreshed upon awakening | 1 | _ | | 8 |
| 8. Back or leg pains are associated with dripping | | | | | 7. Headaches | 1 | 2 | 4 | 8 |
| after wination | 1 | 2 | | 8 | 8. Pain at the sides of your head or in your face | | | | |
| 9. Sore or painful genitals | 1 | 2 | | 8 | especially when awakening | 1 | | | 8 |
| 10. Urine is a rose color | 1 | | | | 9. Your jaw clicks or pops | 1 | _ | | 8 |
| 11. Sudden urge to void causes involuntary loss of urine | Ĭ | 2 | 4 | 8 | 10. Muscle twitch or tremor - eyelids, thumb, calf muscle | 1 | | 4 | |
| 12. Generalized sense of water retention throughout | | | | | 11. Irresistible urge to move legs | | | 4 | |
| your body | 1 | 2 | 4 | 8 | 12. Legs move during sleep | 1 | 2 | 4 | 8 |
| Total points | | | | | 13. Unpleasant crawling sensation inside calves when | | | | |
| Total posts | | | | _ | lying down | 1 | 2 | 4 | 8 |
| PART IX | | | | | 14. Hand and wrist numbness or pain (e.g., interferes | | | | |
| | | | | | with writing, buttoning or unbuttoning your clothes) | 1 | 2 | 4 | 8 |
| | | | | | 15. Feeling of "pins and needles" in your thumb and | | | | |
| | | | | | first three fingers | | | 4 | |
| SECTION A | | | | | 16. Pain in forearm and sometimes in shoulder | 1 | 2 | 4 | 8 |
| 1. Bones throughout your entire body ache, fell | | | | | Total points | | _ | | _ |
| tender or sore | 1 | | 4 | | Total points | _ | | | |
| 2. Localized bone pain | 1 | 2 | 4 | | PART X | | | | - |
| 3. Hands, feet or throat get tight, spasm or feel numb | 1 | 2 | | 8 | THAT IS | | | | |
| 4. Difficulty sitting straight | 1 | 2 | 4 | B | | | | | |
| 5. Upper back pain | 1 | 2 | 4 | | [| | | | |
| 6. Lower back pain | 1 | 2 | | 8 | SECTION A | | - | | |
| 7. Pain when sitting down or walking | 1 | 2 | 4 | | 1. Head feels heavy | 1 | 2 | | |
| 8. Find yourself limping or favoring one leg | | 2 | 4 | | 2, Dizzîness | i | 2 | 4 | 8 |
| 9. Shins hurt during or after exercise | I | 2 | 4 | 8 | 3. Difficulty bending over, standing up from sitting, | | | | |
| Total points | _ | | | | rolling over in bed and/or turning your head | | | | |
| | | | | | from side to side | 1 | 2 | 4 | 8 |
| SECTION B | | | | | 4. Your hands tremble, ever so slightly, for no | | | | |
| 1. Are you stiff in the morning when you wake up? | 1 | 2 | 4 | 8 | apparent reason | 1 | 2 | 4 | 8 |
| Difficulty bending down and picking up clothing | | | | | 5. When walking you feel like you're wearing | | | | |
| or anything from the floor | i | 2 | 4 | 8 | heavy weights on your feet | 1 | 2 | - | 8 |
| Joint swelling, pain or stiffness involving one or more | | | | | 6. Bump into things, trip, stumble and feel clumsy | 1 | 2 | 4 | 8 |
| areas (fingers, hands, wrists, elbows, shoulders, | | | | | 7. Difficulty breathing | 1 | 2 | 4 | 8 |
| toes, arches, feet, ankles, knees) | | | 4 | | 8. Difficulty swallowing | 1 | 2 | 4 | 8 |
| 4. Joints hurt when moving or when carrying weight | 1 | 2 | 4 | 8 | 9. People tell you to speak up because they have | | | | |
| A routine exercise program, like daily walking, | | | | | trouble hearing you | 1 | 2 | 4 | 8 |
| causes your knees to swell or hurt | 1 | 2 | 4 | 8 | 10. Speaking and forming words does not feel automatic | 1 | 2 | 4 | 8 |
| Difficulty opening jars that were previously easy | | | | | 11. Need 10-12 hours of sleep to feel rested | 1 | 2 | 4 | 8 |
| to open | 1 | 2 | 4 | 8 | 12. Lack of strength (your grip is weak, holding your | | | | |
| Discomfort, numbness, prickling or tingling | | | | | head or picking your arms up takes effort) | 1 | 2 | 4 | 8 |
| sensation, or pain in neck, shoulder or arm | 1 | 2 | 4 | 8 | 13. Hands get tired when you write and your handwriting | | | | |
| 8. Intermittent pain or ache on one side of head spreading | | | | | is less legible and smaller than it used to be | 1 | | | 8 |
| to cheek, temple, lower jaw, car, neck and shoulder | 1 | 2 | 4 | 8 | 14. Muscles in arms and legs seem softer and smaller | 1 | | | 8 |
| 9. Difficulty chewing food or opening mouth | 1 | 2 | 4 | 8 | 15. Is your cycsight, sense of smell and taste or | | | | |
| 10. Difficulty standing up from a sitting position | | 2 | 4 | 8 | ability to hear not as sharp as it used to be? | 1 | | | 8 |
| 11. Shooting, aching, tingling pain down the back of leg | 1 | 2 | 4 | 8 | 16. Do you find yourself moving slower than you used to? | 1 | | | 8 |
| 12. Is it difficult to reach up and get a 5-pound object | | | | | | | | | |
| like a bag of flour from just above your head? | 1 | | | 8 | | | | | |
| 13. Injure, strain or sprain easily | 1 | | | 8 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |







| PART X | Rarely | Occasionally | Offen | Frequently | | Rarely | Occasionally | Often | Frequently |
|---|----------|--------------|-------|--------------|---|--------|--------------|-------|------------|
| SECTION B | _= | _ | _ | _ | SECTION A (cont) | | _ | _ | <u> </u> |
| 1. Difficulty absorbing new information | 1 | 2 | 4 | 8 | [C] | | | | |
| 2. Tend to forget things | 1 | 2 | 4 | 8 | 13. Craving for sweets | İ | 2 | 4 | 8 |
| 3. Trouble thinking or concentrating | 1 | 2 | 4 | 8 | 14. Increased appetite or binge eating | 1 | 2 | 4 | 8 |
| 4. Easily distracted | 1 | 2 | 4 | 8 | 15. Headaches | 1 | 2 | 4 | 8 |
| 5. Do you have a tendency to become | | | | | 16. Being easily overwholmed, shaky or clumsy | 1 | 2 | 4 | В |
| frustrated quickly? | 1 | 2 | 4 | 8 | 17. Heart pounding | 1 | 2 | | 8 |
| Inability to sit still for any length of time, | | | | | 18. Dizziness or fainting | 1 | 2 | 4 | 8 |
| even at mealtime | | | 4 | | [D] | | | | |
| 7. Finishing tasks is easier said than done | 1 | 2 | 4 | 8 | 19. Confused and forgetful to the point that work suffers | I | 2 | 4 | 8 |
| 8. Do you have more trouble solving problems or | | | | | 20. Overwhelmed with feelings of sadness and | | | | |
| managing your time than usual? | 1 | 2 | 4 | 8 | worthlessness | | 2 | | |
| 9. Low tolerance for stress and otherwise | | | | | 21. Difficulty sleeping or falling asleep | 1 | | | 8 |
| ordinary problems | 1 | 2 | 4 | 8 | 22. Engaging in self destructive behavior | 1 | 2 | 4 | 8 |
| Total points | | | | | Total points | | | | |
| PART XI | | | | | SECTION B | | | | |
| FART AT | | | | | Do you experience any of these symptoms | | | | |
| | | | | | during your period? | | | | |
| Men Only | | | | | 1. Cramping in lower abdomen or pelvic area | I | 2 | | 8 |
| 1. Sensation of not emptying your bladder completely | 1 | 2 | 4 | 8 | 2. Pain is sharp and/or dull or intermittent | 1 | | 4 | |
| 2. Need to urinate less than 2 hours after you | | | | | 3. Bloating and sense of abdominal fullness | 1 | 2 | 4 | _ |
| have finished urinating | I | 2 | 4 | 8 | 4. Diarrhea or constipation | 1 | | | 8 |
| 3. Find yourself needing to stop and start again | | | | | 5. Nausca and/or vomiting | ì | 2 | | 8 |
| several times while urinating | | | 4 | | 6. Low back and/or legs ache | 1 | | 4 | |
| 4. Find it difficult to postpone urination | 1 | 2 | 4 | | 7. Headaches | 1 | 2 | | 8 |
| 5. Have a weak urinary stream | 1 | | 4 | | 8. Unusual fatigue (take naps) resulting in missed work | 1 | | | 8 |
| 6. Need to push or strain to begin urinating | 1 | | 4 | | 9. Painful and/or swollen breasts | 1 | | | 8 |
| 7. Dripping after orination 8. Urge to urinate several times a night |] 1 | | 4 | | 10. Scanty blood flow | I | 2 | 4 | 8 |
| <u> </u> | | | | - | Total points | | | | |
| Total points | . | | | | SECTION C | | | | |
| PART XII | | | | | 1. Painful or difficult sexual intercourse | l | | 4 | |
| TAKI AII | | | | | 2. Low abdominal pain throughout the month | 1 | | 4 | |
| | | | | | 3. Low back ache or pain throughout the month | 1 | 2 | 4 | 8 |
| Women Only | | | | | 4. Pelvie pressure or pain while sitting down or | | | | |
| (Menopausal women should skip to sections E and F) | | | | | standing up, relieved by lying down | 1 | 2 | 4 | - |
| SECTION A | | | | | 5, Painful bowel movements | l • | 2 | - | 8 |
| Do you experience any of these symptoms within three | | | | | 6. Constipated or difficult bowel movements | 1 | 2 | | 8 |
| days to two weeks <i>prior to menstruation</i> ? | | | | | 7. Rectal pain | ī | 2 | | 8 |
| [A] Anvious irritable or methers | , | 2 | 4 | o | 8. Painful or difficult (straining) urination | 1 | 2 | | 8 |
| Anxious, irritable or restless Numbness, tingling in hands and feet | | | 4 | | 9. Abnormal vaginal discharge 10. Offensive vaginal discharge | 1 | 2 | | 8 |
| 3. Easy to anger, resentful | | | 4 | - | 11. Vaginal itching or burning with or without intercourse | _ | | | |
| 4. Aggressive or hostile toward family/friends | i | 2 | 4 | | 12. Pain during periods is getting progressively worse | 1 | 2 | 4 | 8 |
| [B] | ٠ | _ | -7 | | 12. I am during periods is genting progressively worse | | | | • |
| 5. Abdominal bloating, feeling swollen (e.g., feet) | 1 | 2 | 4 | 8 | Total points | | | | |
| 6. Temporary weight gain | 1 | 2 | 4 | 8 | SECTION D | | | | |
| 7. Breast tenderness, swelling | 1 | 2 | 4 | 8 | 1. Absence of periods for six months or longer | 1 | | | 8 |
| 8. Appearance of breast lumps | 1 | 2 | 4 | | 2. Periods occur irregularly (e.g., 3 to 6 times a year) | 1 | | | 8 |
| 9. Discharge from nipples | 1 | 2 | 4 | 8 | 3. Profuse heavy bleeding during periods | 1 | 2 | 4 | 8 |
| 0. Nausca and/or yomiting | 1 | 2 | 4 | 8 | 4. Menstrual blood contains clots and tissue | 1 | 2 | 4 | 8 |
| 11. Diarrhea or constipation | 1 | 2 | 4 | 8 | 5. Bleeding between periods can occur any time | I | 2 | | 8 |
| 2. Aches and pains (back, joints, etc.) | 1 | | 4 | | 6. Mensimal bleeding at cycles greater than | | | | |
| | | | | | every 35 days | 1 | | | 8 |
| | | | | | 7. Intense upper stomach pain, lasting several hours | | | | |
| | | | | | at the time you evulate (approximately day 14 | | | | |
| | | | | | of your cycle) | 1 | 2 | 4 | |





| PART XII | Rarely | Occasionally | Often | Frequently | | Rarely | Occasionally | Often | Frequently |
|--|--------|--------------|-------|------------|--|--------|--------------|-------|-----------------|
| SECTION D (cont) | | | | | SECTION E (cont) | | | | |
| 8. Bleeding occurs at ovulation (approximately | | | | | 11. Occasionally skip periods | 1 | 2 | 4 | 8 |
| day 14 of your cycle) | 1 | 2 | 4 | 8 | 12. The length (number of days) of your period varies | | | | |
| 9. Monthly abdominal pain without bleeding | 1 | 2 | 4 | 8 | month to month, with the number of days of | | | | |
| 10. Abundant cervical mucous | 1 | 2 | 4 | 8 | bleeding getting less | 1 | | | 8 |
| 11. Acne and/or oily skin | 1 | 2 | 4 | 8 | | | | | —- ₁ |
| 12. Overwhelming urges for sexual intercourse | 1 | 2 | 4 | 8 | Total points | | | | |
| 13. Aggressive feelings | 1 | 2 | 4 | 8 | SECTION F | | | | |
| 14. Increased growth of dark facial and/or body hair | 1 | | | 8 | 1. Sense of well-being fluctuates throughout the | | | | |
| 15. Poor sense of smell | 1 | | | 8 | day for no apparent reason | 1 | 2 | 4 | 8 |
| 16. Voice is becoming deeper | 1 | | | 8 | 2. Sudden hot flashes | 1 | 2 | 4 | 8 |
| 17. Breasts seem to be getting smaller | 1 | | | 8 | 3. Spontaneous sweating | 1 | 2 | 4 | 8 |
| 18. Pain during periods is getting progressively worse | 1 | | | 8 | 4. Chills | 1 | 2 | 4 | 8 |
| Total points | | | | \neg | 5. Cold bands and feet 6. Heart beats rapidly or feels like it is fluttering | 1 | 2 | 4 | _ |
| SECTION E | | | | | 7. Numbness, tingling or prickling sensations | 1 | 2 | 4 | 8 |
| 1. Urinary problems | 1 | 2 | 4 | 8 | 8. Dizziness | 1 | 2 | 4 | 8 |
| 2. Vaginal discharge | 1 | 2 | 4 | 8 | 9. Mental fogginess, forgetful, distracted | 1 | 2 | 4 | 8 |
| 3. Vaginal secretions are watery and thin | 1 | 2 | 4 | 8 | 10. Inability to concentrate | 1 | 2 | 4 | 8 |
| 4. Vaginal dryness | 1 | 2 | 4 | 8 | 11. Depression, anxiety, nervousness and/or irritability | 1 | 2 | 4 | 8 |
| 5. Sexual intercourse is uncomfortable | 1 | 2 | 4 | 8 | 12. Difficulty sleeping | 1 | 2 | 4 | 8 |
| 6. Interest in having sex is low | 1 | 2 | 4 | 8 | 13. Conscious of new feelings of anger and frustration | 1 | 2 | 4 | 8 |
| 7. Engorged breasts | 1 | 2 | 4 | 8 | 14. Skin, hair, vagina and/or eyes feel dry | 1 | 2 | 4 | 8 |
| 8. Breast tenderness, soreness | 1 | 2 | 4 | 8 | 15. Stopped menstruating around six months ago, yet | | | | |
| 9. Difficulty with orgasm | 1 | 2 | 4 | 8 | still experience some vaginal bleeding | 1 | | | 8 |
| 10. Vaginal bleeding after sexual intercourse | 1 | 2 | 4 | 8 | | | | | |
| | | | | | Total points | | | _ | |

Please mark an "X" to indicate areas where you feel pain, swelling or discomfort, or areas of your skin that have changed color or texture (e.g., moles, rashes, etc.). Describe what you feel or observe in your own words. Write anywhere in this area.

