

**McHenry Western Lake County EMS
Airway Skills Performance Record
Drug Assisted Intubation**

Name: _____

Date: _____

Performance Standard	Performs without Coaching	Performs with Coaching	Needs additional practice
<ul style="list-style-type: none"> Dons appropriate PPE: gloves, goggles, and face mask 			
<ul style="list-style-type: none"> Prepares the patient: Informs the patient what they are about to do. Keeps telling them each step of the process as it is done. 			
<ul style="list-style-type: none"> Places patient's head in sniffing position (Non trauma patient) Maintains In-line stabilization (Trauma patient) 			
<ul style="list-style-type: none"> Accesses SpO2 on room air if available 			
<ul style="list-style-type: none"> Pre-oxygenates for -3 minutes Breathing at RR 8 or greater: O2 12-15 L/NRM to avoid gastric distention RR>8 or shallow: O2 15L/BVM at 10 BPM 9asthma 6-8) 			
<ul style="list-style-type: none"> Applies cardiac monitor Prepares ETCO2 Establishes/confirms patent IV access 			
<ul style="list-style-type: none"> Assesses patient for mobility of the mandible, loose teeth or foreign body 			
<p>Prepares equipment</p> <ul style="list-style-type: none"> Prepares suction equipment; suctions as necessary 			
<ul style="list-style-type: none"> Selects appropriate size TT tube Prepares intubation equipment with King Vision supplies Maintain O2 with 6l/cannula during procedure 			
<p>Pre-medicates if applicable</p> <ul style="list-style-type: none"> <u>Gag present</u>; Benzocaine spray to posterior pharynx (1-2 second spray, 30 seconds apart X 2)** Pain Management-if needed- Fentanyl per standard dosing 			
<p>Sedation : Allow for clinical response before intubating</p> <ul style="list-style-type: none"> ETOMIIDATE 0.5 mg/kg IVP to max of 40mg OR KETAMINE (preferred in asthma) 2mg/kg slow IVP over 1 minute or 4mg/kg IM 			
<ul style="list-style-type: none"> Perform King Vision Intubation per procedure Assist ventilations at 10 breaths per minute Confirm tube placement and monitor ETCO2 Inflate TT cuff and secure TT Tube with commercial holder 			
<p>Post -Intubation Sedation</p> <ul style="list-style-type: none"> If SPB ≥ 90 (MAP ≥ 65) MIDAZOLAM 2MG slow IVP/IN increments every 2minutes as needed to 20mg max 			

Scoring: All items must be answered or performed correctly in order for the student to pass the station. Any errors or omissions of these items will require a retest.

() **Proficient:** Provider can sequence, perform and complete performance standards independently with expertise and without any error of omission.

() **Competent:** Satisfactory performance, minimal coaching needed

() **Practice evolving/not yet competent:** Could not perform in correct sequence with/without prompts or critical errors Recommend additional practice.-RETEST Required

Evaluator: _____